

DOCUMENTACIÓN

Bibliografía de Revistas

ANÁLISIS

N.º 427.—Determination of non volatile components of heated soybean oils separated with high-efficiency mixopolystyrene/divinylbenzene columns. Abidi, S.L., Kim, I.H. and Rennick, K.A. *J. Am. Oil Chemists'Soc.* 1999, **8**, 939-944.

N.º 428.—Positional analysis of triglycerides and phospholipids rich in long-chain polyunsaturated fatty acids. Amate, L., Ramírez, M. and Gil, A. *Lipids* 1999, **8**, 865-871.

N.º 429.—Study of the enantiomeric composition of chiral constituents in edible oils by simultaneous distillation-extraction. Detection of adulterated olive oils. Caja, M. M., del Castillo, M. L. R., Herráiz, M. and Blanch, G.P. *J. Am. Oil Chemists'Soc.* 1999, **9**, 1027-1030.

N.º 430.—Fatty acid analysis of blood serum, seminal plasma, and spermatozoa of normozoospermic vs. asthenozoospermic males. Conquer, J.A., Martin, J. B., Tummon, I., Watson, L., and Tekpetey, F. *Lipids* 1999, **8**, 793-799.

N.º 431.—HPLC analysis for trans-vitamin K-1 and dihydro-vitamin K-1 in margarines and margarine-like products using the C-30 stationary phase. Cook K. K., Mitchell, G. V., Grundel, E., and Rader, J. I. *Food Chem.* 1999, **1**, 79-88.

N.º 432.—Supercritical CO₂ extraction for total fat analysis of food products. Dionisi, F., Hug, B., Aeschlimann, J. M., and Houllamar, A. *J. Food Sci.* 1999, **4**, 612-615.

N.º 433.—Preparation, separation, and confirmation of the eight geometrical cis/trans conjugated linoleic acid isomers 8,10-through 11, 13-18 : 2. Eulitz, K., Yurawecz, M. P., Sehat, N., Fritsche, J., Roach J. A. G., Mossoba, M. M., Kramer, J. K. G., Adlof, R. O., and Ku, Y. *Lipids* 1999, **8**, 873-877.

N.º 434.—Rapid monitoring of transesterification and assessing biodiesel fuel quality by near-infrared spectroscopy using a fiber-optic probe. Knothe G.J. *Am. Oil Chemists'Soc.* 1999, **7**, 795-800.

N.º 435.—Cholesterol content of fried-shredded pork extracted by supercritical carbon dioxide. Lin, T. Y., Wang, Y. J., Lai, P. Y., Lee, F. J., and Cheng, J. T. S. *Food Chem.* 1999, **1**, 89-92.

N.º 436.—Long-term behavior of oil-based varnishes and paints I. Spectroscopic analysis of curing drying oils. Mallegol, J., Gardette, J. L., and Lemaire J. *J. Am. Oil Chemists'Soc.* 1999, **8**, 967-976.

N.º 437.—Olive and hazelnut oils: A study by high-field H-1 NMR and gas chromatography. Mannina, L., Patumi, M., Fiordiponti, P. Enmanuele, M. C. and Segre, A. L. *Ital. J. Food Sci.* 1999, **2**, 139-149.

N.º 438.—Chloramine-T with iodine: A new reagent to determine the iodine value of edible oils. Part II.

Nagendrappa, G. and Urs, S. S. R. *J. Am. Oil Chemists'Soc.* 1999, **8**, 1001-1002.

N.º 439.—Rapid analysis of oxidized cholesterol derivatives by high-performance liquid chromatography combined with diode-array ultraviolet and evaporative laser light-scattering detection. Osada, K., Ravandi, A., and Kuksis, A. *J. Am. Oil Chemists'Soc.* 1999, **7**, 863-871.

N.º 440.—Practical nuclear magnetic resonance analysis of liquid oil in oilseeds: I factors affecting peak width. Reaney, M. J. T., Tyler, N. J., and Brown, K. *J. Am. Oil Chemists'Soc.* 1999, **7**, 859-862.

N.º 441.—High-performance liquid chromatography and spectroscopic studies on fish oil oxidation products extracted from frozen Atlantic mackerel (Vol. 76, p. 391, 1999). Saeed, S. and Howell, N. K. *J. Am. Oil Chemists'Soc.* 1999, **7**, 887.

N.º 442.—Recognition and quantitation of cis-vaccenic and eicosenoic fatty acids in olive oils by C-13 nuclear magnetic resonance spectroscopy. Scano, P., Casu, M., Lai, A., Saba, G., Dessi, M. A., Deiana M., Corongiu, F. P., and Bandino, G. *Lipids* 1999, **7**, 757-759.

N.º 443.—High-performance liquid chromatography evaluation of phenols in olive fruit, virgin olive oil, vegetation waters, and pomace and 1D-and 2D-nuclear magnetic resonance characterization. Servili, M., Baldioli, M., Selvaggini, R., Miniati, E., Macchioni, A., and Montedoro, G. *J. Am. Oil Chemists'Soc.* 1999, **7**, 873-882.

N.º 444.—Application of high-resolution, two-dimensional H-1 and C-13 nuclear magnetic resonance techniques to the characterization of lipid oxidation products in autoxidized linoleoyl/linolenoylglycerols. Silwood, C. J. L. and Grootveld, M. *Lipids* 1999, **7**, 741-756.

N.º 445.—Quantitative differential scanning calorimetric analysis for determining total polar compounds in heated oils. Tan, C. P. and Man, Y. B. C. *J. Am. Oil Chemists'Soc.* 1999, **9**, 1047-1057.

N.º 446.—Differential scanning calorimetric analysis for monitoring the oxidation of heated oils. Tan, C. P. and Man, Y. B. C. *Food Chem.* 1999, **2**, 177-184.

N.º 447.—Polymorphism of milk fat studied by differential scanning calorimetry and real-time X-ray powder diffraction. Tengrotenhuis E. Van Aken, G. A., Van Malssen, K. F., and Schenk, H. *J. Am. Oil Chemists'Soc.* 1999, **9**, 1031-1039.

N.º 448.—The evaluation of frying oils with the p-anisidine value. Tompkins, C. and Perkins E. G. *J. Am. Oil Chemists'Soc.* 1999, **8**, 945-947.

N.º 449.—A modified VERI-FRY (R) quick test for measuring total polar compounds in deep-frying oils. Xu, X. Q. *J. Am. Oil Chemists'Soc.* 1999, **9**, 1087-1089.

N.º 450.—Chemical and physical analyses and sensory evaluation of six deep-frying oils. Xu, X. Q., Tran, V. H., Palmer, M. White K., and Salisbury, P. *J. Am. Oil Chemists'Soc.* 1999, **9**, 1091-1099.

BIOTRANSFORMACIONES

N.º 451.—Substrate inhibition and affinities of the glyoxysomal beta-oxidation of sunflower cotyledons. Gerhardt, B., Fischer, K., Deittert, M., and Wenzel, B. *Planta* 1999, 3, 355-363.

N.º 452.—Effect of moisture content on immobilized lipase-catalyzed triacylglycerol hydrolysis under supercritical carbon dioxide flow in a tubular fixed-bed reactor. Hampson, J. W. and Foglia, T. A. *J. Am. Oil Chemists' Soc.* 1999, 7, 777-781.

N.º 453.—Gamma-Linolenic acid-rich triacylglycerols derived from borage oil via lipase-catalyzed reactions. Huang, F. C., Ju, Y. H., and Chiang, J. C. *J. Am. Oil Chemists' Soc.* 1999, 7, 833-837.

N.º 454.—Cloning of Delta 12-and Delta 6-desaturases from *Mortierella alpina* and recombinant production of gamma-linolenic acid in *Saccharomyces cerevisiae*. Huang, Y. S., Chaudhary, S., Thurmond, J. M., Bobik, E. G., Yuan, L., Chan, G. M., Kirchner, S. J., Mukerji, P., and Knutzon, D. S. *Lipids* 1999, 7, 649-659.

N.º 455.—Lysophosphatidic acid acyltransferase from coconut endosperm mediates the insertion of laurate at the sn-2 position of triacylglycerols in lauric rapeseed oil and can increase total laurate levels. Knutzon, D. S., Hayes, T. R., Wyrick, A., Xiong, H., Davies, H. M., and Voelker, T. A. *Plant Physiol* 1999, 3, 739-746.

N.º 456.—Free coenzyme A-induced activation of a multifunctional polyketide biosynthetic enzyme 6-hydroxymellein synthase in carrot cells. Kurosaki, F., Togashi, K., and Arisawa, M. *Plant Sci.* 1999, 2, 149-155.

N.º 457.—Kinetics of enzymatic synthesis of isopropylidene glycerol esters by goat pregastric lipase. Lai, D. T., Hattori, N. and O'Connor C. J. *J. Am. Oil Chemists' Soc.* 1999, 7, 845-851.

N.º 458.—Bioconversion of oleic acid by *Bacillus* strain NRRL BD-447: Identification of 7-hydroxy-17-oxo-9-cis-octadecenoic acid. Lanser, A. C. and Manthey, L. K. *J. Am. Oil Chemists' Soc.* 1999, 9, 1023-1026.

N.º 459.—Conjugated linoleic acid concentration as affected by lactic cultures and added linoleic acid. Lin, T. Y., Lin, C. W., and Lee C. H. *Food Chem.* 1999, 1, 1-5.

N.º 460.—Characterization of the ybdT gene product of *Bacillus subtilis*: Novel fatty acid beta-hydroxylating cytochrome P450. Matsunaga, I., Ueda, A., Fujiwara, N., Sumimoto, T., and Ichihara, K. *Lipids* 1999, 8, 841-846.

N.º 461.—Glucosinolates in cauliflower as biochemical markers for resistance against downy mildew. Menard, R., Larue, J. P., Silue, D., and Thouvenot, D. *Phytochemistry* 1999, 1, 29-35.

N.º 462.—9-azasqualene-2,3-epoxide and its N-oxide: Metabolic fate and inhibitory effect on sterol biosynthesis in *Saccharomyces cerevisiae*. Milla, P., Viola F., Ceruti, M., Rocco, F., Cattell, L., and Balliano, G. *Lipids* 1999, 7, 681-688.

N.º 463.—A rapid method for enzymatic synthesis and purification of the structured triacylglycerol, 1,3-dilauroyl-2-oleoyl-glycerol. Miura, S., Ogawa, A., and Konishi, H. *J. Am. Oil Chemists' Soc.* 1999, 8, 927-931.

N.º 464.—Lipase-catalyzed synthesis of waxes from milk fat and oleyl alcohol. Poisson L., Jan, S., Vuilleumard, J. C., Sarazin, C., Seguin, J. P., Barbotin, J. N. and Ergon, F. *J. Am. Oil Chemists' Soc.* 1999, 9, 1017-1021.

N.º 465.—Enzymatic synthesis of symmetrical 1,3-diacylglycerols by direct esterification of glycerol in solvent-free system. Rosu, R., Yasui M., Iwasaki, Y., and Yamane, T. *J. Am. Oil Chemists' Soc.* 1999, 7, 839-843.

N.º 466.—*Leptosphaeria maculans* and cryptogeiin induce similar vascular responses in tissues undergoing the hypersensitive reaction in *Brassica napus*. Roussel, S., Nicole, M., López, F., Ricci, P., Geiger J. P., Renard, M., and Brun, H. *Plant Sci.* 1999, 1, 17-28.

N.º 467.—Low temperature-induced accumulation of eicosapentaenoic acids in *Marchantia polymorpha* cells. Saruwatari, M., Takio, S., and Ono K. *Phytochemistry* 1999, 3, 367-372.

N.º 468.—Enzymatic incorporation of docosahexaenoic acid into borage oil. Senanayake S. P. J. N. and Shahidi, F. *J. Am. Oil Chemists Soc.* 1999, 9, 1009-1015.

N.º 469.—Conversion of vegetable oil to biodiesel using immobilized *Candida antarctica* lipase. Shimada, Y., Watanabe, Y., Samukawa T., Sugihara, A., Noda, H., Fukuda, H., and Tominaga, Y. *J. Am. Oil Chemists' Soc.* 1999, 7, 789-793.

N.º 470.—Regulation of the biosynthesis of 22: 5n-6 and 22: 6n-3: A complex intracellular process. Sprecher, H., Chen, Q., and Yin, F. Q. *Lipids* 1999, S153-S156.

N.º 471.—Lipid-lowering action of pectin from *Cucumis sativus*. Sudheesh, S. and Vijayalakshmi, N. R. *Food Chem.* 1999, 3, 281-286.

N.º 472.—Reduced activity of geranylgeranyl reductase leads to loss of chlorophyll and tocopherol and to partially geranylgeranylated chlorophyll in transgenic tobacco plants expressing antisense RNA for geranylgeranyl reductase. Tanaka, R., Oster, U., Kruse, E., Rudiger, W., and Grimm, B. *Plant Physiol* 1999, 3, 695-704.

N.º 473.—Evidence for light-stimulated fatty acid synthesis in soybean fruit. Willms J. R., Salon, C., and Layzell, D. B. *Plant Physiol* 1999, 4, 1117-1127.

N.º 474.—Enzymatic interesterification of palm stearin and palm kernel olein. Zainal. Z. and Yusoff, M. S. A. *J. Am. Oil Chemists' Soc.* 1999, 9, 1003-1008.

N.º 475.—Colour stability and vitamin E content of fresh and processed pork. Zanardi, E., Novelli, E., Ghiretti, G. P., Dorigoni, V., and Chizzolini, R. *Food Chem.* 1999, 2, 163-171.

COMPOSICIÓN

N.º 476.—Delta(6)-Unsaturated fatty acids in species and tissues of the Primulaceae. Sayanova, O., Napier, J. A., and Shewry, P. R. *Phytochemistry* 1999, 3, 419-422.

N.º 477.—Six diprenylisoflavones, derrisisoflavones A-F, from *Derris scandens*. Sekine, T., Inagaki, M., Ikegami, F., Fujii, Y., and Ruangrunsi, N. *Phytochemistry* 1999, 1, 87-94.

N.º 478.—Fatty acid composition and its relationship with physicochemical properties of pecan (*Carya illinoensis*) oil. Toro Vázquez, J. F., Charo Alonso, M. A.,

and Pérez Briceno, F. *J. Am. Oil Chemists' Soc.* 1999, **8**, 957-965.

N.º 479.—Chemotaxonomic significance of fatty acids and tocopherols in Boraginaceae. Velasco L. and Goffman, F. D. *Phytochemistry* 1999, **3**, 423-426.

N.º 480.—Delta 5-olefinic acids in the seed lipids from four Ephedra species and their distribution between the alpha and beta positions of triacylglycerols. Characteristics common to Coniferophytes and Cycadophytes. Wolff, R. L., Christie, W. W., Pedrono, F., Marpeau, A. M., Tsevegsuren, N., Aitzetmuller, K., and Gunstone, F. D. *Lipids* 1999, **8**, 855-864.

NUTRICIÓN Y SALUD

N.º 481.—Altered lipid metabolism associated with the progression of premalignant lesions in rat liver. Abel, S., Smuts, C. M., and Gelderblom, W. C. A. *Lipids* 1999, S101.

N.º 482.—Impact of nondigestible carbohydrates on serum lipoproteins and risk for cardiovascular disease. Anderson, J. W. and Hanna, T. J. *J. Nutr.* 1999, **7**, 1457S-1466S.

N.º 483.—A hypothesis to explain the reduced blood levels of docosahexaenoic acid in inherited retinal degenerations caused by mutations in genes encoding retina-specific proteins. Anderson, R. E., Maude, M. B., Alvarez, R. A., Acland, G., and Aguirre, G. D. *Lipids* 1999, S235-S237.

N.º 484.—Nondigestibility characteristics of inulin and oligofructose in humans. Andersson, H. B., Ellegard, L. H., and Bosaeus, I. G. *J. Nutr.* 1999, **7**, 1428S-1430S.

N.º 485.—Cholesterol-derived hydroperoxides in alcoholic liver disease. Asano, M., Adachi, J., and Ueno, Y. *Lipids* 1999, **6**, 557-561.

N.º 486.—Supply of fatty acid is one limiting factor in the accumulation of triacylglycerol in developing embryos. Bao, X. M. and Ohlrogge, J. *Plant Physiol* 1999, **4**, 1057-1062.

N.º 487.—Very low dietary intake of n-3 fatty acids affects the immune function of healthy elderly people. Bechoua, S., Dubois, N., Nemoz, G., Chapuy, P., Vericel, E., Lagarde, M., and Prigent, A. F. *Lipids* 1999, S143.

N.º 488.—The 3-thia fatty acid, a novel bioactive compound, which changes the plasma profile from atherogenic to cardioprotective. Berge, R. K., Madsen, L., and Froyland, L. *Lipids* 1999, S201.

N.º 489.—Dietary fish oil promotes positive inotropy and efficiency of digitalis. Bernard, M., Gerbi, A., Barbey, O., Jamme, I., Cozzzone, P. J., and Maixent, J. M. *Lipids* 1999, S195.

N.º 490.—Antitumor sterols from the mycelia of Cordyceps sinensis. Bok, J. W., Lerner, L., Chilton, J., Klingeman, H. G., and Towers, G. H. N. *Phytochemistry* 1999, **7**, 891-898.

N.º 491.—Essential fatty acid status in malnourished children. Borno, S., Reymundez, M. E., and Bosch, V. *Lipids* 1999, S233.

N.º 492.—Polyunsaturated fatty acids and breast cancer. Bougnoux, P., Germain, E., Lavillonniere, F., Cognault, S., Jourdan, M. L., Chajes V. and Lhuillery, C. *Lipids* 1999, S99.

N.º 493.—Dietary fatty acids and the immune system. Calder P. C. *Lipids* 1999, S137-S140.

N.º 494.—Cell proliferation, differentiation, and apoptosis are modified by n-3 polyunsaturated fatty acids in normal colonic mucosa. Calviello, G., Palozza, P., Maggiano, N., Piccioni, E., Franceschelli, P., Frattucci, A., DiNicuolo, F., and Bartoli, G. M. *Lipids* 1999, **6**, 599-604.

N.º 495.—Stimulation of platelet aggregation in response to arachidonic acid hydroperoxide via phospholipase activation. Calzada, C., Vericel, E., Mitel, B., and Lagarde, M. *Lipids* 1999, S295.

N.º 496.—Intake of small amounts of n-3 fatty acids decreases platelet lipid peroxidation in elderly people. Calzada, C., Chapuy, P., Lagarde, M., and Vericel, E. *Lipids* 1999, S311.

N.º 497.—Expression of the extracellular fatty acid-binding protein during muscle fiber formation in vivo and in vitro. Cancedda, F. D., Gentili, C., Cermelli, S., Tacchetti, C., Cossu, G., and Cancedda, R. *Lipids* 1999, S177.

N.º 498.—Effect of dietary vitamin E supplementation on the characteristics of refrigerated and frozen rabbit meat. Castellini, C., DalBosco, A. and Bernardini, M. *Ital. J. Food Sci.* 1999, **2**, 151-160.

N.º 499.—Fatty acid composition in serum phospholipids and risk of breast cancer: A prospective cohort study in northern Sweden. Chajes V. Hulten, K., VanKappel, A. L., Winkvist, A., Kaaks, R., Hallmans, G., Lenner, P. G., and Riboli, E. *Lipids* 1999, S113.

N.º 500.—Metabolism of cholesterol is altered in the liver of C3H mice fed fats enriched with different C-18 fatty acids. Cheema, S. K. and Agellon, L. B. *J. Nutr.* 1999, **9**, 1718-1724.

N.º 501.—Conjugated linoleic acids alter milk fatty acid composition and inhibit milk fat secretion in dairy cows. Chouinard, P. Y., Corneau, L., Barbano, D. M., Metzger, L. E., and Bauman, D. E. *J. Nutr.* 1999, **8**, 1579-1584.

N.º 502.—n-3 fatty acids and the risk of sudden cardiac death assessed by 24-hour heart rate variability. Christensen, J. H., Dyerberg, J., and Schmidt, E. B. *Lipids* 1999, S197.

N.º 503.—The effect of palmitic acid on lipoprotein cholesterol levels and endogenous cholesterol synthesis in hyperlipidemic subjects. Clandinin, M. T., Cook, S. L., Konrad, S. D., Goh, Y. K., and French, M. A. *Lipids* 1999, S121-S124.

N.º 504.—Fatty acid synthase gene expression in rat mammary carcinoma. Cognault, S., Germain, E., Bougnoux, P., and Lhuillery, C. *Lipids* 1999, S223.

N.º 505.—Elevated plasma levels of F-2 alpha isoprostane in cystic fibrosis. Collins, C. E., Quaggiotto, P., Wood, L., O'Loughlin E. V., Henry, R. L., and Garg, M. L. *Lipids* 1999, **6**, 551-556.

N.º 506.—Fish oil in hypertriglyceridemia: Safety and recommendations. Connor, W. E. *Lipids* 1999, S271.

N.º 507.—Evidence for the unique function of docosahexaenoic acid during the evolution of the modern hominid brain. Crawford, M. A., Bloom, M., Broadhurst, C. L., Schmidt, W. F., Cunnane, S. C., Galli, C., Gehlbremeskel, K., Linseisen, F., Lloyd Smith, J., and Parkinson J. *Lipids* 1999, S39-S47.

- N.º 508.—Alpha-Oxidation of 3-methyl-branched fatty acids: A revised pathway confined to peroxisomes.** Croes, K., VanVeldhoven, P. P. Mannaerts, G. P., and Casteels, M. *Lipids* 1999, S159.
- N.º 509.—Reversal of tumor cell drug resistance by essential fatty acids.** Das, U. N. *Lipids* 1999, S103.
- N.º 510.—Effects of dietary inulin on serum lipids.** Davidson M. H. and Maki K. C. *J. Nutr.* 1999, 7, 1474S-1477S.
- N.º 511.—Chronic marginal vitamin A status reduces natural killer cell number and function in aging Lewis rats.** Dawson, H. D., Li, N. Q. DeCicco, K. L., Nibert, J. A., and Ross, A. C. *J. Nutr.* 1999, 8, 1510-1517.
- N.º 512.—The inhibition of endothelial activation by unsaturated fatty acids.** De Caterina, R., Spiecker, M., Solaini, G., Basta, G., Bosetti, F., Libby, P., and Liao, J. *Lipids* 1999, S191-S194.
- N.º 513.—A high dietary lipid intake during pregnancy and lactation enhances mammary gland lipid uptake and lipoprotein lipase activity in rats.** Del Prado, M., Villalpando, S., Gordillo, J., and Hernández Montes, H. *J. Nutr.* 1999, 8, 1574-1578.
- N.º 514.—Biochemical basis of oligofructose-induced hypolipidemia in animal models.** Delzenne, N. M. and Kok, N. N. *J. Nutr.* 1999, 7, 1467S-1470S.
- N.º 515.—Weight loss due to energy restriction suppresses cholesterol biosynthesis in overweight, mildly hypercholesterolemic men.** DiBuono M., Hannah J. S. Katzel, L. I., and Jones, P. J. H. *J. Nutr.* 1999, 8, 1545-1548.
- N.º 516.—Parsley, polyphenols and nutritional antioxidants.** Duthie G. C. *Brit. J. Nutr.* 1999, 6, 425-426.
- N.º 517.—The effects of a dietary oxidized oil on lipid metabolism in rats.** Eder, K. *Lipids* 1999, 7, 717-725.
- N.º 518.—Apolipoprotein B mRNA editing and apolipoprotein gene expression in the liver of hyperinsulinemic fatty Zucker rats: Relationship to very low density lipoprotein composition.** Elam, M. B., Von Wronski, M. A., Cagen, L., Thorngate, F., Kumar, P., Heimberg, M., and Wilcox, H. G. *Lipids* 1999, 8, 809-816.
- N.º 519.—Effects of n-3 and n-6 polyunsaturated fatty acids on 3-hydroxy-3-methylglutaryl-CoA reductase in liver and mammary glands of low density lipoprotein-receptor knockout mice.** ElSoheemy, A. and Archer M. C. *Lipids* 1999, S135.
- N.º 520.—Effect of dietary docosahexaenoic acid on desaturation and uptake in vivo of isotope-labeled oleic, linoleic, and linolenic acids by male subjects.** Emken, E. A., Adlof, R. O., Duval, S. M., and Nelson G. J. *Lipids* 1999, 8, 785-791.
- N.º 521.—Possible mechanisms for the putative antiatherogenic and antitumorigenic effects of conjugated polyenoic fatty acids.** Farquharson, A., Wu, H. C., Grant, I., Graf, B., Choung, J. J., Eremin, O., Heys, S., and Wahle, K. *Lipids* 1999, S343.
- N.º 522.—Hamsters and guinea pigs differ in their plasma lipoprotein cholesterol distribution when fed diets varying in animal protein, soluble fiber, or cholesterol content.** Fernández, M. L., Wilson, T. A., Conde, K., Vergara Jiménez, M., and Nicolosi, R. J. *J. Nutr.* 1999, 7, 1323-1332.
- N.º 523.—Metabolism of individual fatty acids during infusion of a triacylglycerol emulsion.** Fielding, B. A., Samra, J. S., Ravell, C. L., and Frayn, K. N. *Lipids* 1999, 6, 535-541.
- N.º 524.—Proliferation and types of killing of leukemia cell lines by very long chain polyunsaturated fatty acids.** Finstad, H. S., Heimli, H., Kolset, S. O., and Devon, C. A. *Lipids* 1999, S107.
- N.º 525.—A common mutation A1298C in human methylenetetrahydrofolate reductase gene: Association with plasma total homocysteine and folate concentrations.** Friedman, G. Goldschmidt, N., Friedlander, Y., BenYehuda, A., Selhub, J., Babaey, S. Mendel, M., Kidron, M. and Baron, H. *J. Nutr.* 1999, 9, 1656-1661.
- N.º 526.—Amount and type of unsaturated aldehydes in chicken plasma and tissues depend more on dietary lipids than on vitamin E status.** Fuhrmann, H. and Sallmann, H. P. *Lipids* 1999, S253-S254.
- N.º 527.—Neuroprotective effect of fish oil in diabetic neuropathy.** Gerbi, A., Maixent, J. M., Barbey, O., Jamme, I., Pierlovisi, M., Coste, T., Pieroni, G., Nouvelot, A., Vague, P., and Raccach, D. *Lipids* 1999, S93-S94.
- N.º 528.—Dietary n-3 polyunsaturated fatty acids and oxidants increase rat mammary tumor sensitivity to epirubicin without change in cardiac toxicity.** Germain, E., Lavandier, F., Chajes, V., Schubnel, V., Bonnet, P., Lhuillery, C., and Bougnoux, P. *Lipids* 1999, S203.
- N.º 529.—Tyrosol, the major olive oil biophenol, protects against oxidized-LDL- induced injury in Caco-2 cells.** Giovannini, C., Straface, E., Modesti, D., Coni, E., Cantafora, A., DeVincenzi, M., Malorni, W., and Masella, R. *J. Nutr.* 1999, 7, 1269-1277.
- N.º 530.—Increased diaphragm expression of GLUT4 in control and streptozotocin- diabetic rats by fish oil-supplemented diets.** Giron M. D., Salto, R., Hortelano, P., Periago, J. L., Vargas, A. M., and Suárez, M. D. *Lipids* 1999, 8, 801-807.
- N.º 531.—Lymphatic absorption of phytosterol oxides in rats.** Grandgirard, A. Sergiel, J. P., Nour, M., Demaison Meloche, J., and Ginies. C. *Lipids* 1999, 6, 563-570.
- N.º 532.—Intact dietary soy protein, but not adding an isoflavone-rich soy extract to casein, improves plasma lipids in ovariectomized cynomolgus monkeys.** Greaves, K. A., Parks, J. S., Williams, J. K., and Wagner, J. D. *J. Nutr.* 1999, 8, 1585-1592.
- N.º 533.—Rats with low levels of brain docosahexaenoic acid show impaired performance in olfactory-based and spatial learning tasks.** Greiner, R. S., Moriguchi, T., Hutton, A., Slotnick, B. M., and Salem, N. *Lipids* 1999, S239-S243.
- N.º 534.—Roles of lipid-activated receptors in the adipogenic action of fatty acids.** Grimaldi, P. A. *Lipids* 1999, S205-S208.
- N.º 535.—Incorporation of [1-C-13]oleate into cellular triglycerides in differentiating 3T3L1 cells.** Guo, W., Choi, J. K., Kirkland, J. L., Corkey, B. E., and Hamilton, J. A. *Lipids* 1999, 8, 825-831.
- N.º 536.—Delayed changes in postprandial lipid in young normolipidemic men after a nocturnal vitamin A oral fat load test.** Hadjadj, S., Paul, J. L., Meyer, L., Durlach, V., Verges, B., Ziegler, O., Drouin, P., and Guerci, B. *J. Nutr.* 1999, 9, 1649-1655.

N.º 537.—Excess vitamin E decreases canthaxanthin absorption in the rat. Hageman, S. H., Li, S., Furr, H. C., and Clark, R. M. *Lipids* 1999, 6, 627-631.

N.º 538.—Postprandial hypertriglyceridemia induced by saturated vs. monounsaturated fatty acids is related to reduced hepatic lipoprotein receptors binding in NZW rabbits. Harbis, A., Juhel, C., Senft, M., and Lairon, D. *Lipids* 1999, S125-S126.

N.º 539.—n-3 fatty acids and human lipoprotein metabolism: An update. Harris, W. S. *Lipids* 1999, S257-S258.

N.º 540.—Regular exercise modulates muscle membrane phospholipid profile in rats. Helge, J. W., Ayre, K. J., Hulbert, A. J., Kiens, B., and Storlien, L. H. *J. Nutr.* 1999, 9, 1636-1642.

N.º 541.—The metabolism of native and randomized butterfat chylomicrons in the rat is similar. Hodge, J., Li, D., Redgrave, T. G., and Sinclair, A. J. *Lipids* 1999, 6, 579-582.

N.º 542.—Protein restriction during early development enhances insulin responsiveness but selectively impairs sensitivity to insulin at low concentrations in white adipose tissue during a later pregnancy. Holness, M. J., Fryer, L. G. D., and Sugden, M. C. *Brit. J. Nutr.* 1999, 6, 481-489.

N.º 543.—Interactions between lipid metabolism and schizophrenia: The biochemical changes which may have made us human. Horrobin, D. F. *Lipids* 1999, S255.

N.º 544.—Equal antithrombotic and triglyceride-lowering effectiveness of eicosapentaenoic acid-rich and docosahexaenoic acid-rich fish oil supplements. Howe, P. R. C., Clifton, P. M., and James, M. J. *Lipids* 1999, S307-S308.

N.º 545.—Dietary canola oil alters hematological indices and blood lipids in neonatal piglets fed formula. Innis, S. M. and Dyer, R. A. *J. Nutr.* 1999, 7, 1261-1268.

N.º 546.—Olestra formulation and the gastrointestinal tract. Jandacek, R. J., Kester, J. J., Papa, A. J., Wehmeier, T. J., and Lin, P. Y. T. *Lipids* 1999, 8, 771-783.

N.º 547.—Inulin, oligofructose and intestinal function. Jenkins, D. J. A., Kendall, C. W. C., and Vuksan, V. *J. Nutr.* 1999, 7, 1431S-1433S.

N.º 548.—All-rac-alpha-tocopherol acetate is a better vitamin E source than all-rac-alpha-tocopherol succinate for broilers. Jensen, S. K., Engberg, R. M., and Hedemann, M. S. *J. Nutr.* 1999, 7, 1355-1360.

N.º 549.—Dietary polyunsaturated fatty acids and hepatic gene expression. Jump, D. B., Thelen, A., and Mater, M. *Lipids* 1999, S209-S212.

N.º 550.—Stearic acid-rich diets do not increase thrombotic risk factors in healthy males. Kelly, F. D., Mann, N. J., Turner, A. H., and Sinclair, A. J. *Lipids* 1999, S199.

N.º 551.—Fatty acids, antioxidants, and coronary heart disease from an epidemiological perspective. Kromhout, D. *Lipids* 1999, S27-S31.

N.º 552.—Regulation of cellular 15-lipoxygenase activity on pretranslational, translational, and posttranslational levels. Kuhn, H., Heydeck, D., Brinckman, R., and Trebus, F. *Lipids* 1999, S273-S279.

N.º 553.—Effects of cholestyramine on hepatic cholesterol 7 alpha-hydroxylase and serum 7 alpha-

hydroxycholesterol in the hamster. Kuroki, S., Naito, T., Chijiwa, K., and Tanaka, M. *Lipids* 1999, 8, 817-823.

N.º 554.—Fatty acid ethyl esters: Nonoxidative ethanol metabolites with emerging biological and clinical significance. Laposata, M. *Lipids* 1999, S281-S285.

N.º 555.—n-3 fatty acids in the prevention of cardiac arrhythmias. Leaf, A., Kang, J. X., Xiao, Y. F., and Billman, G. E. *Lipids* 1999, S187-S189.

N.º 556.—Comparison of n-3 polyunsaturated fatty acids from vegetable oils, meat, and fish in raising platelet eicosapentaenoic acid levels in humans. Li, D., Mann, N. J., and Sinclair, A. J. *Lipids* 1999, S309.

N.º 557.—Effects of fish oil and n-3 fatty acids on the regulation of Delta(9)- fatty acid desaturase mRNA and -activity in rat liver. Lochsen, T., Ormstad, H., Braud, H., Brodal, B., Christiansen, E. N., and Osmundsen, H. *Lipids* 1999, S221-S222.

N.º 558.—The effect of n-3 fatty acids on leukotriene formation from neutrophils in patients on hemodialysis. Lossl, K., Skou, H. A., Christensen, J. H., and Schmidt, E. B. *Lipids* 1999, S185.

N.º 559.—Cellular fatty acid transport in heart and skeletal muscle as facilitated by proteins. Luiken, J. J. F. P., Schaap, F. G., vanNieuwenhoven, F. A., vander Vusse, G. J., Bonen, A., and Glatz, J. F. C. *Lipids* 1999, S169-S175.

N.º 560.—The mitochondrion is the principal target for nutritional and pharmacological control of plasma triglyceride. Madsen, L., Froyland, L., Kryvi, H., Auwerx, J., Staels, B., and Berge, R. K. *Lipids* 1999, S167.

N.º 561.—Fatty acid composition of brain glycerophospholipids in peroxisomal disorders. Martínez, M. and Mougán, I. *Lipids* 1999, 7, 733-740.

N.º 562.—The double bond in unsaturated fatty acids is the necessary and sufficient requirement for the inhibition of expression of endothelial leukocyte adhesion molecules through interference with nuclear factor-kappa B activation. Massaro, M., Carluccio, M. A., Bonfrate, C., Siculella, L., Lazzerini, G., Bernini, W., Basta, G., and DeCaterina, R. *Lipids* 1999, S213-S214.

N.º 563.—Diabetes puts myocardial n-3 fatty acid status at risk in the absence of supplementation in the rat. McLennan, P. L. and Raederstorff, D. *Lipids* 1999, S91-S92.

N.º 564.—Triglyceride as a risk factor, epidemiology. Miller, M. *Lipids* 1999, S267.

N.º 565.—Oligo-L-methionine and resistant protein promote cecal butyrate production in rats fed resistant starch and fructooligosaccharide. Morita, T., Kasaoka, S., Hase, K., and Kiriya, S. *J. Nutr.* 1999, 7, 1333-1339.

N.º 566.—The pool of fatty acids covalently bound to platelet proteins by thioester linkages can be altered by exogenously supplied fatty acids. Muszbek, L., Haramura, G., Cluette Brown, J. E., Van Cott, E. M., and Laposata, M. *Lipids* 1999, S331-S337.

N.º 567.—Dose-dependent inhibition of cell proliferation induced by lipid peroxidation products in rat hepatoma cells after enrichment with arachidonic acid. Muzio, G., Salvo, R. A., Trombetta, A., Autelli, R., Maggiora, M., Terreno, M., Dianzani, M. U., and Canuto, R. A. *Lipids* 1999, 7, 705-711.

N.º 568.—Specific modifications of phosphatidylinositol and nonesterified fatty acid fractions in cultured

porcine cardiomyocytes supplemented with n-3 polyunsaturated fatty acids. Nair, S. S. D., Leitch, J., and Garg, M. L. *Lipids* 1999, 7, 697-704.

N.º 569.—Cardiac (N-3) non-esterified fatty acids are selectively increased in fish oil-fed pigs following myocardial ischemia. Nair, S. S. D., Leitch, J., Falconer, J., and Garg, M. L. *J. Nutr.* 1999, 8, 1518-1523.

N.º 570.—Inulin and oligofructose: What are they? Niness, K. R. *J. Nutr.* 1999, 7, 1402S-1406S.

N.º 571.—Dietary fatty acids and coronary heart disease. Nordoy, A. *Lipids* 1999, S19-S22.

N.º 572.—Novel, selective Delta 6 or Delta 5 fatty acid desaturase inhibitors as antiinflammatory agents in mice. Obukowicz, M., Welsch, D., Salsgiver, W., Martin Berger, C., Chinn, K., Duffin, K., Raz, A., and Needleman, P. *Lipids* 1999, S149.

N.º 573.—Formaldehyde treatment suppresses ruminal degradation of phytate in soyabean meal and rapeseed meal. Park, W. Y., Matsui, T., Konishi, C., Kim, S. W., Yano, F., and Yano, H. *Brit. J. Nutr.* 1999, 6, 467-471.

N.º 574.—High-fat dairy product consumption increases Delta 9c,11t-18:2 (Rumenic acid) and total lipid concentrations of human milk. Park, Y., McGuire, M. K., Behr, R., McGuire, M. A., Evans, M. A., and Shultz, T. D. *Lipids* 1999, 6, 543-549.

N.º 575.—The effects of cigarette smoking on the metabolism of essential fatty acids. Pawlosky, R., Hibbeln, J., Wegher, B., Sebring, N., and Salem, N. *Lipids* 1999, S287.

N.º 576.—Postprandial lipoprotein, glucose and insulin responses after two consecutive meals containing rapeseed oil, sunflower oil or palm oil with or without glucose at the first meal. Pedersen, A., Marckmann, P. and Sandstrom B. *Brit. J. Nutr.* 1999, 2, 97-104.

N.º 577.—Absorption in rats of rapeseed, soybean, and sunflower oils before and following moderate heating. Porsgaard, T., Zhang, H., Nielsen, R. G. and Hoy, C. E. *Lipids* 1999, 7, 727-732.

N.º 578.—Possible mechanisms by which pro- and prebiotics influence colon carcinogenesis and tumor growth. Reddy, B. S. *J. Nutr.* 1999, 7, 1478S-1482S.

N.º 579.—The metabolism of essential fatty acids in rat liver is influenced more by dietary fat than dietary ethanol. Retterstol, K., Lund, A. M., Tverdal, S., and Christophersen, B. O. *Lipids* 1999, S133-S134.

N.º 580.—Energy metabolism increases and regional body fat decreases while regional muscle mass is spared in humans climbing Mt. Everest. Reynolds, R. D., Lickteig, J. A., Deuster, P. A., Howard, M. P., Conway, J. M., Pietersma, A., deStoppelaar, J., and Deurenberg, P. *J. Nutr.* 1999, 7, 1307-1314.

N.º 581.—Effects of beta-oxa and beta-thia polyunsaturated fatty acids on agonist-induced increase in endothelial cell adhesion molecules. Robinson, B. S., Huang, Z. H., Parashakis, G., Hii, C. S. T., Ferrante, J. V., Poulos, A., Rathjen, D. A., Pitt, M. J., Easton, C. J., and Ferrante, A. *Lipids* 1999, S341-S342.

N.º 582.—Long-chain n-3 polyunsaturated fatty acids and triacylglycerol metabolism in the postprandial state. Roche, H. M. and Gibney, M. J. *Lipids* 1999, S259-S265.

N.º 583.—Dietary copper primarily affects antioxidant capacity and dietary iron mainly affects iron status in a surface response study of female rats fed varying concentrations of iron, zinc and copper. Roughead, Z. K., Johnson, L. K., and Hunt, J. R. *J. Nutr.* 1999, 7, 1368-1376.

N.º 584.—The incorporation of fatty acids of different chain length into liver and biliary lipids in the perfused rat liver. Rubin, M., Pakula, R., Gilat, T., and Tietz, A. *Lipids* 1999, 6, 571-578.

N.º 585.—Changes in women's plasma lipid and lipoprotein concentrations due to moderate consumption of alcohol are affected by dietary fat level. Rumpel, W. V., Clevidence, B. A., Muesing, R. A., and Rhodes, D. G. *J. Nutr.* 1999, 9, 1713-1717.

N.º 586.—n-3 fatty acids and coronary heart disease - The urgent need of clinical trials. Schmidt, E. B. and Dyerberg, J. *Lipids* 1999, S303-S305.

N.º 587.—Lipids in vascular function. Sellmayer, A., Hrboticky, N., and Weber, P. C. *Lipids* 1999, S13-S18.

N.º 588.—Hyperglycemia inhibits liver fatty acid oxidation and increases triacylglycerol secretion in humans. Sidossis, S., Mittendorfer, B., Walser, E., Chinkes, D., and Wolfe, R. *Lipids* 1999, S95.

N.º 589.—Double-blind study of the addition of high-protein soya milk v. cows' milk to the diet of patients with severe hypercholesterolaemia and resistance to or intolerance of statins. Sirtori, C. R., Pazzucconi, F., Colombo, L., Battistin, P., Bondioli, A., and Descheemaeker, K. *Brit. J. Nutr.* 1999, 2, 91-96.

N.º 590.—Effects of 3-thia fatty acids on beta-oxidation and carnitine palmitoyltransferase-1 activity in cultured hepatocytes. Sleboda, J., Risan, K. A., Spydevold, O., and Bremer, J. *Lipids* 1999, S97.

N.º 591.—Essentiality of fatty acids. Spector, A. A. *Lipids* 1999, S1-S3.

N.º 592.—High intake of milk fat inhibits intestinal colonization of *Listeria* but not of *Salmonella* in rats. Sprong, R. C., Hulstein, M. F., and VanderMeer R. *J. Nutr.* 1999, 7, 13-82, 13-89.

N.º 593.—Dietary 18 : 3n-3 and 22 : 6n-3 as sources of 22 : 6n-3 accretion in neonatal baboon brain and associated organs. Su, H. M., Bernardo, L., Mirmiran, M., Ma, X. H., Nathanielsz, P. W., and Brenna, J. T. *Lipids* 1999, S347-S350.

N.º 594.—Children's consumption of dark green, leafy vegetables with added fat enhances serum retinol. Takyi, E. E. K. *J. Nutr.* 1999, 8, 1549-1554.

N.º 595.—Effect of modified dairy fat on fasting and postprandial haemostatic variables in healthy young men. Tholstrup, T., Marckmann, P., Hermansen, J., Holmer, G., and Sandstrom, B. *Brit. J. Nutr.* 1999, 2, 105-113.

N.º 596.—The role of apolipoprotein A-IV in food intake regulation. Tso, P., Liu, M., and Kalogeris, T. J. *J. Nutr.* 1999, 8, 1503-1506.

N.º 597.—A high linoleic acid diet increases oxidative stress in vivo and affects nitric oxide metabolism in humans. Turpeinen, A. M., Basu, S., and Mutanen, M. *Lipids* 1999, S291-S292.

N.º 598.—The metabolism and distribution of sesame lignans (Sesamin and episesamin) in rats. UmedaSawada, R., Ogawa, M., and Igarashi, O. *Lipids* 1999, 6, 633-637.

N.º 599.—Effects of age and dietary n-3 fatty acids on the metabolism of [C-13]-alpha-linolenic acid. Vermunt, S. H. F., Mensink, R. P., Simonis, A. M. G., and Hornstra, G. *Lipids* 1999, S127.

N.º 600.—Sphingolipids in food and the emerging importance of sphingolipids to nutrition. Vesper, H., Schmelz, E. M., Nikolova Karakashian, M. N., Dillehay, D. L., Lynch, D. V., and Merrill, A. H. *J. Nutr.* 1999, 7, 1239-1250.

N.º 601.—Free radical-scavenging actions of olive oil phenolics. Visioli, F. and Galli, C. *Lipids* 1999, S315.

N.º 602.—Dietary fat influences the production of Th1-but not Th2-derived cytokines. Wallace, F. A., Yaqoob, P., Miles, E. A., and Calder, P. C. *Lipids* 1999, S141.

N.º 603.—The effect of dietary fat on cytokine production by murine macrophages in different activation states. Wallace, F. A., Miles, E. A. and Calder, P. C. *Lipids* 1999, S145.

N.º 604.—Cholesterol reduction using manufactured foods high in monounsaturated fatty acids: a randomized crossover study. Williams, C. M., Francis Knapper, J. A., Webb, D., Brookes, C. A., Zampelas, A., Tredger, J. A., Wright, J., Meijer, G., Calder, P. C., Yaqoob, P., Roche, H., and Gibney, M. J. *Brit. J. Nutr.* 1999, 6, 439-446.

N.º 605.—Effects of red pepper on appetite and energy intake. Yoshioka, M., St.Pierre, S., Drapeau, V., Dionne, I., Doucet, E., Suzuki, M., and Tremblay, A. *Brit. J. Nutr.* 1999, 2, 115-123.

N.º 606.—n-3 polyunsaturated fatty acid deficiency and dopamine metabolism in the rat frontal cortex. Zimmer, L., Durand, G., Guilleateau, D. and Chalon, S. *Lipids* 1999, S251.

N.º 607.—Ways to reduce saturated fat intake. Zock, P. L. and Katan, M. B. *Brit. J. Nutr.* 1999, 6, 421-423.

OXIDACIÓN

N.º 608.—Effect of fruit stone removal on the production of virgin olive oil volatile compounds. Angerosa, F., Basti, C., Vito, R., and Lanza, B. *Food Chem.* 1999, 3, 295-299.

N.º 609.—Antioxidant synergy of alpha-tocopherol and phospholipids. Bandarra, N. M., Campos, R. M., Batista, I., Nunes, M. L., and Empis, J. M. *J. Am. Oil Chemists'Soc.* 1999, 8, 905-913.

N.º 610.—The influence of a novel antioxidant fatty acid on the development of stenosis after balloon injury. Dyroy, E., Kuiper, K. J., Pettersen, R., Nordrehaug, J. E., and Berge, R. K. *Lipids* 1999, S339.

N.º 611.—Antioxidant and other activities of phenolics in olives olive oil, typical components of the Mediterranean diet. Galli, C. and Visioli, F. *Lipids* 1999, S23-S26.

N.º 612.—Methanolic extract of *Coptis japonica* Makino reduces photosensitized oxidation of oils. Jung, M. Y., Kim, J. P., and Kim, S. Y. *Food Chem.* 1999, 3, 261-268.

N.º 613.—Quenching mechanism and kinetics of ascorbyl palmitate for the reduction of the gamma irradiation-induced oxidation of oils. Lee, K. H., Yook,

H. S., Lee, J. W., Park, W. J., Kim, K. S., and Byun, M. W. *J. Am. Oil Chemists'Soc.* 1999, 8, 921-925.

N.º 614.—Oxidative stability of natural and randomized high-palmitic and high-stearic-acid oils from genetically modified soybean varieties. Neff, W. E. and List, G. R. *J. Am. Oil Chemists'Soc.* 1999, 7, 825-831.

N.º 615.—Fatty acid and tocopherol contents and oxidative stability of walnut oils. Savage, G. P., Dutta, P. C., and McNeil, D. L. *J. Am. Oil Chemists'Soc.* 1999, 9, 1059-1063.

N.º 616.—Kinetic model for autoxidation of beta-carotene in organic solutions. Takahashi, A., Shibasaki Kitakawa, N., and Yonemoto, T. *J. Am. Oil Chemists'Soc.* 1999, 8, 897-903.

N.º 617.—Proportion of geometrical hydroperoxide isomers generated by radical oxidation of methyl linoleate in homogeneous solution and in aqueous emulsion. Wang, X. H., Ohshima, T., Ushio, H., and Koizumi, C. *Lipids* 1999, 7, 675-679.

N.º 618.—Hydroxyl scavenging activity of glucose, fructose, and riboselysine model Maillard products. Wijewickreme, A. N., Krejpcio, Z., and Kitts, D. D. *J. Food Sci.* 1999, 3, 457-461.

N.º 619.—Tocopherol distribution and oxidative stability of oils prepared from the hypocotyl of soybeans roasted in a microwave oven. Yoshida, H., Takagi, S., and Mitsuhashi, S. *J. Am. Oil Chemists'Soc.* 1999, 8, 915-920.

N.º 620.—Colour stability and vitamin E content of fresh and processed pork. Zanardi, E., Novelli, E., Ghiretti, G. P., Dorigoni, V., and Chizzolini, R. *Food Chem.* 1999, 2, 163-171.

PROPIEDADES FÍSICO-QUÍMICAS

N.º 621.—Two-dimensional surface properties of 2-methoxy ethyl oleate at the air/water interface. Baskar, C., Venkatesan, S., Dhathathreyan, A., and Mandal, A. B. *J. Am. Oil Chemists'Soc.* 1999, 7, 853-858.

N.º 622.—Conjugated linoleic acids alter milk fatty acid composition and inhibit milk fat secretion in dairy cows. Chouinard, P. Y., Corneau, L., Barbano, D. M., Metzger, L. E., and Bauman, D. E. *J. Nutr.* 1999, 8, 1579-1584.

N.º 623.—Composition and physicochemical properties of chevon patties containing oat bran. Dawkins, N. L., Phelps, O., McMillin, K. W., and Forrester, I. T. *J. Food Sci.* 1999, 4, 597-600.

N.º 624.—Stripping medium requirement in continuous countercurrent deodorization. Dijkstra, A. J. *J. Am. Oil Chemists'Soc.* 1999, 8, 989-993.

N.º 625.—Physicochemical properties of dry red kidney bean proteins and natural microflora as affected by gamma irradiation. Dogbevi, M. K., Vachon, C., and Lacroix, M. *J. Food Sci.* 1999, 3, 540-542.

N.º 626.—Rheological and sensory properties of reduced-fat processed cheeses containing lecithin. Drake, M. A., Truong, V. D., and Daubert, C. R. *J. Food Sci.* 1999, 4, 744-747.

N.º 627.—A twin-screw extruder for oil extraction: I. Direct expression of oleic sunflower seeds. Dufaure, C., Leyris, J., Rigal, L., and Mouloungui, Z. *J. Am. Oil Chemists'Soc.* 1999, 9, 1073-1079.

- N.º 628.—A twin-screw extruder for oil extraction: II. Alcohol extraction of oleic sunflower seeds.** Dufaure, C., Mouloungui, Z., and Rigal, L. *J. Am. Oil Chemists' Soc.* 1999, 9, 1081-1086.
- N.º 629.—The influence of a novel antioxidant fatty acid on the development of stenosis after balloon injury.** Dyroy, E., Kuiper, K. J., Pettersen, R., Nordrehaug, J. E., and Berge, R. K. *Lipids* 1999, S339.
- N.º 630.—Seasonal variation in the fatty acid composition and quality of sardine oil from *Sardinops sagax caeruleus* of the Gulf of California.** Gámez Meza, N., Higuera Ciapara, I., de la Barca, A. M. C., Vázquez Moreno, L., Noriega Rodríguez, J., and Angulo Guerrero, O. *Lipids* 1999, 6, 639-642.
- N.º 631.—Intact dietary soy protein, but not adding an isoflavone-rich soy extract to casein, improves plasma lipids in ovariectomized cynomolgus monkeys.** Greaves, K. A., Parks, J. S., Williams, J. K., and Wagner, J. D. *J. Nutr.* 1999, 8, 1585-1592.
- N.º 632.—Effect of moisture content on immobilized lipase-catalyzed triacylglycerol hydrolysis under supercritical carbon dioxide flow in a tubular fixed-bed reactor.** Hampson, J. W. and Foglia, T. A. *J. Am. Oil Chemists' Soc.* 1999, 7, 777-781.
- N.º 633.—Olestra formulation and the gastrointestinal tract.** Jandacek, R. J., Kester, J. J., Papa, A. J., Wehmeier, T. J., and Lin, P. Y. T. *Lipids* 1999, 8, 771-783.
- N.º 634.—All-rac-alpha-tocopherol acetate is a better vitamin E source than all-rac-alpha-tocopherol succinate for broilers.** Jensen, S. K., Engberg, R. M., and Hedemann, M. S. *J. Nutr.* 1999, 7, 1355-1360.
- N.º 635.—Fat reduces volatiles production in oil emulsion system analyzed by purge-and-trap dynamic headspace/gas chromatography.** Jo, C. and Ahn, D. U. *J. Food Sci.* 1999, 4, 641-643.
- N.º 636.—Methanolic extract of *Coptis japonica* Makino reduces photosensitized oxidation of oils.** Jung, M. Y., Kim, J. P., and Kim, S. Y. *Food Chem.* 1999, 3, 261-268.
- N.º 637.—Rapid monitoring of transesterification and assessing biodiesel fuel quality by near-infrared spectroscopy using a fiber-optic probe.** Knothe, G. J. *Am. Oil Chemists' Soc.* 1999, 7, 795-800.
- N.º 638.—Monitoring chemical interesterification.** Liu, L. S. and Lampert, D. J. *Am. Oil Chemists' Soc.* 1999, 7, 783-787.
- N.º 639.—Long-term behavior of oil-based varnishes and paints I. Spectroscopic analysis of curing drying oils.** Mallegol, J., Gardette, J. L., and Lemaire, J. *Am. Oil Chemists' Soc.* 1999, 8, 967-976.
- N.º 640.—Porosity of microcapsules with wall systems consisting of whey proteins and lactose measured by gas displacement pycnometry.** Moreau, D. L. and Rosenberg, M. J. *Food Sci.* 1999, 3, 405-409.
- N.º 641.—Empirical and dynamic rheological data correlation to characterize melt characteristics of imitation cheese.** Mounsey, J. S. and O'Riordan, E. D. J. *Food Sci.* 1999, 4, 701-703.
- N.º 642.—Inulin and oligofructose: What are they?** Niness, K. R. *J. Nutr.* 1999, 7, 1402S-1406S.
- N.º 643.—Storage stability of potato chips fried in genetically modified canola oils.** Petukhov, I., Malcolmson, L. J., Przybylski, R., and Armstrong, L. J. *Am. Oil Chemists' Soc.* 1999, 8, 889-896.
- N.º 644.—Starches and gums move beyond fat replacement.** Pszczola, D. E. *Food Technol.* 1999, 8, 74.
- N.º 645.—Frost resistance and cold acclimation abilities of spring-type oilseed rape.** Rapacz, M. *Plant Sci.* 1999, 1, 55-64.
- N.º 646.—High-performance liquid chromatography and spectroscopic studies on fish oil oxidation products extracted from frozen Atlantic mackerel (Vol. 76, p. 391, 1999).** Saeed, S. and Howell, N. K. *J. Am. Oil Chemists' Soc.* 1999, 7, 887.
- N.º 647.—Delta(6)-Unsaturated fatty acids in species and tissues of the Primulaceae.** Sayanova, O., Napier, J. A., and Shewry, P. R. *Phytochemistry* 1999, 3, 419-422.
- N.º 648.—Sensory attributes and storage life of reduced fat ice cream as related to inulin content.** Schaller Povolny, L. A. and Smith, D. E. *J. Food Sci.* 1999, 3, 555-559.
- N.º 649.—Six diprenylisoflavones, derrisisoflavones A-F, from *Derris scandens*.** Sekine, T., Inagaki, M., Ikegami, F., Fujii, Y., and Ruangrunsi, N. *Phytochemistry* 1999, 1, 87-94.
- N.º 650.—Selective binding of docosahexaenoic acid ethyl ester to a silver-ion-loaded porous hollow-fiber membrane.** Shibasaki, A., Irimoto, H. Y., Kim, M., Saito, K., Sugita, K., Baba, T., Honjyo, I., Moriyama, S., and Sugo, T. *J. Am. Oil Chemists' Soc.* 1999, 7, 771-775.
- N.º 651.—New products from the agri-food industry: The return of n-3 fatty acids into the food supply.** Simopoulos, A. P. *Lipids* 1999, S297-S301.
- N.º 652.—Reduction of warmed-over flavor volatiles from freeze-dried lean beef by supercritical CO₂ extraction.** Thongwong, A., Fernando, L., N., Grun, I. U., and Clarke, A. D. *J. Food Sci.* 1999, 3, 387-389.
- N.º 653.—Fatty acid composition and its relationship with physicochemical properties of pecan (*Carya illinoensis*) oil.** Toro Vázquez, J. F., Charo Alonso, M. A., and Pérez Briceno, F. J. *Am. Oil Chemists' Soc.* 1999, 8, 957-965.
- N.º 654.—Chemotaxonomic significance of fatty acids and tocopherols in Boraginaceae.** Velasco, L. and Goffman, F. D. *Phytochemistry* 1999, 3, 423-426.
- N.º 655.—Triglyceride-lowering effect of n-3 long chain polyunsaturated fatty acid: Eicosapentaenoic acid vs. docosahexaenoic acid.** Weber, P. *Lipids* 1999, S269.
- N.º 656.—Delta 5-olefinic acids in the seed lipids from four *Ephedra* species and their distribution between the alpha and beta positions of triacylglycerols. Characteristics common to Coniferophytes and Cycadophytes.** Wolff, R. L., Christie, W. W., Pedrono, F., Marpeau, A. M., Tseveguren, N., Aitzetmuller, K., and Gunstone, F. D. *Lipids* 1999, 8, 855-864.
- N.º 657.—Textural and sensory properties of low-fat beef sausages with added water and polysaccharides as affected by pH and salt.** Xiong, Y. L., Noel, D. C., and Moody, W. G. *J. Food Sci.* 1999, 3, 550-554.
- N.º 658.—Microwave roasting and molecular species of triacylglycerols in soybean embryonic axes.** Yoshida, H. and Takagi, S. *J. Am. Oil Chemists' Soc.* 1999, 9, 1065-1071.

N.º 659.—Selected vitamin contents and retentions in bison patties as related to cooking method. Yuan, X., Marchello, M. J., and Driskell, J. A. *J. Food Sci.* 1999, **3**, 462-464.

TECNOLOGÍA

N.º 660.—Stripping medium requirement in continuous countercurrent deodorization. Dijkstra, A. J. *J. Am. Oil Chemists' Soc.* 1999, **8**, 989-993.

N.º 661.—A twin-screw extruder for oil extraction: I. Direct expression of oleic sunflower seeds. Dufaure, C., Leyris, J., Rigal, L., and Mouloungui, Z. *J. Am. Oil Chemists' Soc.* 1999, **9**, 1073-1079.

N.º 662.—A twin-screw extruder for oil extraction: II. Alcohol extraction of oleic sunflower seeds. Dufaure, C., Mouloungui, Z., and Rigal, L. *J. Am. Oil Chemists' Soc.* 1999, **9**, 1081-1086.

N.º 663.—Fat reduces volatiles production in oil emulsion system analyzed by purge-and-trap dynamic headspace/gas chromatography. Jo, C. and Ahn D. U. *J. Food Sci.* 1999, **4**, 641-643.

N.º 664.—Storage stability of potato chips fried in genetically modified canola oils. Petukhov, I., Malcolmson, L. J., Przybylski, R., and Armstrong, L. *J. Am. Oil Chemists' Soc.* 1999, **8**, 889-896.

N.º 665.—Starches and gums move beyond fat replacement. Pszczola, D. E., *Food Technol.* 1999, **8**, 74.

N.º 666.—New products from the agri-food industry: The return of n-3 fatty acids into the food supply. Simopoulos, A. P. *Lipids* 1999, S297-S301.

N.º 667.—Reduction of warmed-over flavor volatiles from freeze-dried lean beef by supercritical CO₂ extraction. Thongwong, A., Fernando, L. N., Grun, I. U., and Clarke, A. D. *J. Food Sci.* 1999, **3**, 387-389.

N.º 668.—Microwave roasting and molecular species of triacylglycerols in soybean embryonic axes. Yoshida, H. and Takagi, S. *J. Am. Oil Chemists' Soc.* 1999, **9**, 1065-1071.

N.º 669.—Selected vitamin contents and retentions in bison patties as related to cooking method. Yuan, X., Marchello, M. J., and Driskell, J. A. *J. Food Sci.* 1999, **3**, 462-464.

TRANSFORMACIONES QUÍMICAS

N.º 670.—Composition and physicochemical properties of chevon patties containing oat bran. Dawkins, N. L., Phelps, O., McMillin, K. W., and Forrester, I. T. *J. Food Sci.* 1999, **4**, 597-600.

N.º 671.—Seasonal variation in the fatty acid composition and quality of sardine oil from *Sardinops sagax caeruleus* of the Gulf of California. Gámez Meza, N., Higuera Ciapara, I., de la Barca, A. M. C., Vázquez Moreno, L., Noriega Rodríguez, J., and Angulo Guerrero, O. *Lipids* 1999, **6**, 639-642.

N.º 672.—Monitoring chemical interesterification. Liu, L. S. and Lampert, D. *J. Am. Oil Chemists' Soc.* 1999, **7**, 783-787.